jc915 U.S. PTO 11/02/00

11-03-00

A

jc926 U.S. PTO 09/704808 11/02/00

PTO/SB/05 (08-00)
Approved for use through 10/31/2002. OMB 0651-0032
U.S Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Please type a plus sign (+) inside this box → ☐

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

UTILITY PATENT APPLICATION TRANSMITTAL

(Only for new nonprovisional applications under 37 CFR 1.53(b))

Attorney Docket No.	1585.01
First Inventor	John F. Finley
Title	
Express Mail Label No.	EK543237285US

APPLICATION ELEMENTS

See MPEP chapter 600 concerning utility patent application contents.

1. [X] Fee Transmittal Form (e.g., PTO/SB/17) *(Submit an original and a duplicate for fee processing)*
2. [X] Applicant claims small entity status. See 37 CFR 1.27.
3. [X] Specification [*Total Pages* 18] *(preferred arrangement set forth below)*
 - Descriptive title of the invention
 - Cross Reference to Related Applications
 - Statement Regarding Fed sponsored R & D
 - Reference to sequence listing, a table, or a computer program listing appendix
 - Background of the Invention
 - Brief Summary of the Invention
 - Brief Description of the Drawings *(if filed)*
 - Detailed Description
 - Claim(s)
 - Abstract of the Disclosure
4. [X] Drawing(s) *(35 U.S.C. 113)* [*Total Sheets* 1]
5. Oath or Declaration [*Total Pages* 19]
 a. [X] Newly executed (original or copy)
 b. [] Copy from a prior application (37 CFR 1.63 (d)) *(for continuation/divisional with Box 17 completed)*
 i. [] DELETION OF INVENTOR(S) Signed statement attached deleting inventor(s) named in the prior application, see 37 CFR 1 63(d)(2) and 1.33(b).
6. [] Application Data Sheet. See 37 CFR 1.76

ADDRESS TO: Assistant Commissioner for Patents, Box Patent Application, Washington, DC 20231

7. [] CD-ROM or CD-R in duplicate, large table or Computer Program *(Appendix)*
8. Nucleotide and/or Amino Acid Sequence Submission *(if applicable, all necessary)*
 a. [] Computer Readable Form (CRF)
 b. Specification Sequence Listing on:
 i. ☐ CD-ROM or CD-R (2 copies); or
 ii. ☐ paper
 c. [] Statements verifying identity of above copies

ACCOMPANYING APPLICATION PARTS

9. [] Assignment Papers (cover sheet & document(s))
10. [] 37 CFR 3.73(b) Statement *(when there is an assignee)* [] Power of Attorney
11. [] English Translation Document *(if applicable)*
12. [] Information Disclosure Statement (IDS)/PTO-1449 [] Copies of IDS Citations
13. [] Preliminary Amendment
14. [] Return Receipt Postcard (MPEP 503) *(Should be specifically itemized)*
15. [] Certified Copy of Priority Document(s) *(if foreign priority is claimed)*
16. [] Other:

17. If a CONTINUING APPLICATION, *check appropriate box, and supply the requisite information below and in a preliminary amendment, or in an Application Data Sheet under 37 CFR 1.76:*

☐ Continuation ☐ Divisional ☐ Continuation-in-part (CIP) of prior application No.: _____ / _____

Prior application information: *Examiner* _____ *Group / Art Unit:* _____

For CONTINUATION OR DIVISIONAL APPS only: The entire disclosure of the prior application, from which an oath or declaration is supplied under Box 5b, is considered a part of the disclosure of the accompanying continuation or divisional application and is hereby incorporated by reference. The incorporation can only be relied upon when a portion has been inadvertently omitted from the submitted application parts.

18. CORRESPONDENCE ADDRESS

☐ *Customer Number or Bar Code Label* *(Insert Customer No. or Attach bar code label here)* or [X] *Correspondence address below*

Name	Joe D. Calhoun				
	Calhoun & Haase				
Address	400 West Capitol, Suite 2701				
City	Little Rock	*State*	AR	*Zip Code*	72201
Country	US	*Telephone*	501-374-2100	*Fax*	501-374-4234

Name (Print/Type)	Joe D. Calhoun	*Registration No. (Attorney/Agent)*	40,293
Signature	Joe D. Calhoun	*Date*	11-2-00

Burden Hour Statement. This form is estimated to take 0 2 hours to complete Time will vary depending upon the needs of the individual case Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Box Patent Application, Washington, DC 20231.

PTO/SB/17 (09-00)
Approved for use through 10/31/2002. OMB 0651-0032
U.S Patent and Trademark Office, U.S DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

FEE TRANSMITTAL for FY 2001

Patent fees are subject to annual revision.

TOTAL AMOUNT OF PAYMENT ($) 364

Complete if Known	
Application Number	
Filing Date	
First Named Inventor	
Examiner Name	
Group Art Unit	
Attorney Docket No.	1585.01

METHOD OF PAYMENT

1. ☐ The Commissioner is hereby authorized to charge indicated fees and credit any overpayments to:
 Deposit Account Number
 Deposit Account Name
 ☐ Charge Any Additional Fee Required Under 37 CFR 1.16 and 1.17
 ☐ Applicant claims small entity status. See 37 CFR 1.27

2. ☒ **Payment Enclosed:**
 ☒ Check ☐ Credit card ☐ Money Order ☐ Other

FEE CALCULATION

1. BASIC FILING FEE

Large Entity Fee Code	Large Entity Fee ($)	Small Entity Fee Code	Small Entity Fee ($)	Fee Description	Fee Paid
101	710	201	355	Utility filing fee	355
106	320	206	160	Design filing fee	
107	490	207	245	Plant filing fee	
108	710	208	355	Reissue filing fee	
114	150	214	75	Provisional filing fee	

SUBTOTAL (1) ($) 355

2. EXTRA CLAIM FEES

		Extra Claims	Fee from below	Fee Paid
Total Claims	21	-20** = 1	X 9	= 9
Independent Claims	3	- 3** = 0	X	=
Multiple Dependent				=

Large Entity Fee Code	Large Entity Fee ($)	Small Entity Fee Code	Small Entity Fee ($)	Fee Description
103	18	203	9	Claims in excess of 20
102	80	202	40	Independent claims in excess of 3
104	270	204	135	Multiple dependent claim, if not paid
109	80	209	40	** Reissue independent claims over original patent
110	18	210	9	** Reissue claims in excess of 20 and over original patent

SUBTOTAL (2) ($) 9

**or number previously paid, if greater; For Reissues, see above

FEE CALCULATION (continued)

3. ADDITIONAL FEES

Large Entity Fee Code	Large Entity Fee ($)	Small Entity Fee Code	Small Entity Fee ($)	Fee Description	Fee Paid
105	130	205	65	Surcharge - late filing fee or oath	
127	50	227	25	Surcharge - late provisional filing fee or cover sheet	
139	130	139	130	Non-English specification	
147	2,520	147	2,520	For filing a request for *ex parte* reexamination	
112	920*	112	920*	Requesting publication of SIR prior to Examiner action	
113	1,840*	113	1,840*	Requesting publication of SIR after Examiner action	
115	110	215	55	Extension for reply within first month	
116	390	216	195	Extension for reply within second month	
117	890	217	445	Extension for reply within third month	
118	1,390	218	695	Extension for reply within fourth month	
128	1,890	228	945	Extension for reply within fifth month	
119	310	219	155	Notice of Appeal	
120	310	220	155	Filing a brief in support of an appeal	
121	270	221	135	Request for oral hearing	
138	1,510	138	1,510	Petition to institute a public use proceeding	
140	110	240	55	Petition to revive - unavoidable	
141	1,240	241	620	Petition to revive - unintentional	
142	1,240	242	620	Utility issue fee (or reissue)	
143	440	243	220	Design issue fee	
144	600	244	300	Plant issue fee	
122	130	122	130	Petitions to the Commissioner	
123	50	123	50	Petitions related to provisional applications	
126	240	126	240	Submission of Information Disclosure Stmt	
581	40	581	40	Recording each patent assignment per property (times number of properties)	
146	710	246	355	Filing a submission after final rejection (37 CFR § 1.129(a))	
149	710	249	355	For each additional invention to be examined (37 CFR § 1.129(b))	
179	710	279	355	Request for Continued Examination (RCE)	
169	900	169	900	Request for expedited examination of a design application	

Other fee (specify) _____

* Reduced by Basic Filing Fee Paid

SUBTOTAL (3) ($)

SUBMITTED BY				Complete (if applicable)	
Name (Print/Type)	Joe D. Calhoun	Registration No. (Attorney/Agent)	42293	Telephone	501-374-2100
Signature	Joe D. Calhoun			Date	11-2-00

WARNING: Information on this form may become public. Credit card information should not be included on this form. Provide credit card information and authorization on PTO-2038.

Burden Hour Statement. This form is estimated to take 0.2 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

Express Mail Label No. EL 708 [illegible]

CALHOUN & HAASE

Attorneys

Dennis B. Haase*
Joseph D. Calhoun III†

of Counsel:
Tim.A. Cheatham

Little Rock Office:
400 West Capitol, Suite 2701
Little Rock, Arkansas 72201
(501) 374-2100
FAX: (501) 372-4234

Jonesboro Office:
1815 Grant Street
Jonesboro, Arkansas 72403
(501) 933-0110

In California:
(888) 267-8220

2 November 2000

Jc926 U.S. PTO
09/704808
11/02/00

Assistant Commissioner for Patents
Box Patent Application
Washington, D.C. 20231

RE: Patent Application For: Wild Game Caller Housing
Inventor: John F. Finley; Attorney Docket No. 1585.01

Dear Sir or Madam:

I represent the inventor with respect to the above-referenced application for design patent. You will find enclosed the following:

1. Utility Patent Application Transmittal (PTO/SB/05)
2. Fee Transmittal Form (PTO/SB/17);
3. Application/Specifications (17 pages);
4. Drawings (1 page);
5. Abstract;
6. Declaration;
7. A return postcard acknowledging your receipt of the above; and
8. Check No. 1756 in the amount of $364.00

Please return the postcard, and direct all future correspondence in this matter to me.

Very truly yours,

Joe D. Calhoun
[Patent Bar Reg. No. 40,293]

Enclosures
cc: Johnny Finley

CERTIFICATE MAILING

I hereby certify that this Issue Fee Transmittal is being deposited with the United States Postal Service with sufficient postage for first class mail in an envelope addressed to the Box PATENT APPLICATION at the address above on November 2, 2000

Delia Demaree-Knott
Delia Demaree-Knott

All Admitted in Arkansas and Before the Patent & Trademark Office
*Also admitted in California and Illinois
†Also admitted in California

Attorney Docket # 1585.01

APPLICATION FOR UTILITY PATENT FOR

WILD GAME CALLER HOUSING

INVENTOR

John F. Finley of Malvern, Ark.

CROSS-REFERENCE TO RELATED APPLICATIONS

Not applicable.

STATEMENT REGARDING FEDERALLY SPONSORED DEVELOPMENT

Not applicable.

TECHNICAL BACKGROUND OF THE INVENTION

1. Field of the Invention.

The invention described herein generally relates to the field of devices for calling or otherwise attracting wild game. More particularly, the present invention relates generally to devices for calling turkeys or elk, using diaphragm reeds to produce sound.

CERTIFICATE OF EXPRESS MAIL UNDER 37 CFR 1.10

"Express Mail" mailing label number: EK543237285US Date of Deposit: 11/2/00 I hereby certify that the application/correspondence attached hereto is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 CFR 1.10 on the date indicated above and is addressed to Assistant Commissioner for Patents, Box: Patent Application, Washington, D.C. 20231.

Delia Demaree-Knott
Delia Demaree-Knott

November 2, 2000
Date of Signature

2. Related Art.

Many conventional animal callers use air blown past one or more reed members to produce sound. One common assembly involves a flat reed wedged between wood or cork, and air being blown past that assembly to cause the reed to vibrate and thereby produce sound. See, for example, U.S. Patent # 3,991,513.

Another assembly involves an elastomeric reed over an off-center air outlet aperture in the conically tapered end face of a cylindrical hollow mouth piece, said reed being secured by a ring within a circumferential groove of said mouthpiece. See, for example, U.S. Patent # 5,090,937.

Another caller assembly involves essentially U-shaped frames, situated one atop the other and sandwiching therebetween a reed. See U.S. Patent # 5,061,220. This device is inserted inside the hunter's mouth and situated near the upper palate, to facilitate the blowing of air past the diaphragm reed as breath exits the user's mouth. Often this device includes an essentially crescent shaped flap of taped or similar material, that contacts the user's palate to partially prevent the misdirection of breath between the palate and caller (rather than beneath the caller).

Also known is a modular game call system including a game call device with a sound-producing diaphragm removably coupled thereto. See. U.S. Patent # 5,885,125.

The following patents are known to the inventor, and arguably affect the patentability of the invention:

Patent Number	**Inventor**	**Issue Date**
3,722,133	Morgan	27 March 1973
3,811,221	Wilt	21 May 1974

3,815,283	Piper	11 June 1974
4, 576,584	Hill	18 March 1986
4,752,270	Morton	21 June 1988
4,950,198	Repko	21 August 1990
5,061,220	Cooper	29 October 1991
5,562,521	Butler et al.	8 October 1996
5, 885,125	Primos	23 March 1999

SUMMARY OF THE INVENTION

The invention described herein generally comprises a caller housing sized to accept a frame containing at least one sound-producing member. Ideally, the device comprises an interior cavity adapted to readily accept a variety of caller frames.

One embodiment of the invention comprises (includes) a caller housing sized to relatively snugly capture as essentially planar U-shaped frame sandwiching at least one diaphragm reed, holding said frame-reed while not interfering with the sound producing characteristics. The invention may also include an essentially crescent-shaped flap or flange essentially surrounding the frame on all sides except the unhoused reed extending between the arms of the U-shaped frame.

One primary object of the invention is to provide a housing that facilitates interchanging or substitution of caller frames readily. The hunter will thereby be enabled to change the tune or tenor of game calling relatively easily.

Another object of the invention is to provide a housing having a resiliently flexible flap capable of more comfortably preventing or reducing the mis-direction of breath between the palate and caller (rather than beneath the caller).

Another object of the invention is to provide a housing having a flap more readily conformable to the configuration of a user's palate. This will eliminate or reduce the natural gag reflex often accompanying the initial usage of similar callers presently in use.

DESCRIPTION OF THE DRAWINGS

The following describes the drawings accompanying this application, which are incorporated herein.

FIG. 1 is a top plan view of one version of the housing device with frame (within internal cavity) holding a reed (11), said housing including a dorsal aspect (12) and a U-shaped cavity mouth (13).

FIG. 2 is a top plan cutaway view of one version of the housing device, essentially with the upper housing surface removed, depicting a U-shaped cavity (21), a dorsal flap (22), a buttress (23) a tab indentation (24), the edge of a U-shaped cavity mouth (25), and a pair of ventral end-stop portions (26).

FIG. 3 is a cross section view of the device depicted in FIG. 2, sectioned at dashed line 2-2. Noteworthy are the cavity (31), a dorsal flap (32), a convex upper surface (33), and a ventral end-stop (34).

FIG. 4 depicts another version of the housing device, viewed from the back, showing a concave lower dorsal surface (41), the reed surface ventral thereto (dashed line)(42), and flap (43).

These drawings illustrate certain details of certain embodiments; however, the invention disclosed herein is not limited to only the embodiments so illustrated. The invention disclosed herein may have equally effective or legally equivalent embodiments.

DETAILED DESCRIPTION OF THE INVENTION

The claims of this invention are to be read to include any legally equivalent device or method. Before the present invention is described in detail, it is to be understood that the invention is not limited to the particular configurations, process steps and materials disclosed herein. It is also to be understood that the terminology used herein is not intended to be limiting, since the scope of the present invention will be limited only by the claims and equivalents thereof.

The invention is not limited by construction materials to the extent that such materials satisfy the structural or functional requirements; for example, any materials may be used to make the housing so long as the materials fulfill the requirements that the housing be capable of accepting a frame with reed, and holding same while in use. In another example, any materials may be used to make the housing so long as it will allow removal of one frame with reed, and the substitution of another for holding during use.

For the sake of simplicity and to give the claims of this patent application the broadest interpretation and construction possible, the following definitions will apply to this application:

a. The word "cavity" means a hollow or hole within the housing; in this case, the cavity will not be completely enclosed, since the housing has an opening or mouth through which a caller frame-reed assembly may be inserted into the cavity.

b. The word "crescent" means having at least one essentially convex edge, perhaps terminating in end points (or similar transition configurations) also comprising the termination points of an essentially concave edge; crescent may refer to the general shape of the flap portion of the housing, or that of the housing (including the integral or contiguous flap portion).

c. The word "dorsal" means generally toward the back side, especially the

back side of the user's body, relative to other portions of the invention; for example, a dorsal portion of a housing may be that portion closest to the user's back (or the back of his or her throat), even if the caller is held in front of the user.

d. The word "flexible" means bendable or moldable; flexible may include materials that are either resiliently flexible (capable of returning to the initial resting position after flexion) or essentially permanently flexible (capable of retaining the flexed form after molding).

e. The term "horseshoe-shaped" means a two dimensional closed figure essentially having an outer arc and an essentially corresponding inner arc, each having ends or arms situated essentially parallel to the other at termination; horseshoe may also include a three dimensional counterpart of the above, usually in an essentially planar configuration; in many variations of this version of the invention, while the invention is in use the horseshoe may be oriented in an essentially horizontally planar orientation so that an airstream transverses from the arcs past the arms, and over the free edge of any reed situated essentially between the arms and/or ends of the horseshoe.

f. The word "mimic" means to essentially simulate, resemble or imitate closely, or to essentially conform to the configuration of the adjacent surface.

g. The word "palate" means the upper and/or back portion of a person's oral cavity, sometimes referred to as the roof of the mouth (or hard palate) and/or the soft palate.

h. The term "quazi-horseshoe-shaped" means essentially horseshoe-shaped and having a physical boundary along the outer arc (and possibly along the ends), but having no physical boundary along the inner arc.

i. The term "U-shaped" means an essentially one dimensional figure generally

resembling the letter U, or an arc therein; as an example, U-shaped may include the outline of an inner arc of a horseshoe shape, such as the edges of the housing along the cavity mouth.

j. The word "ventral" means generally further from the back side, especially the back side of the user's body, relative to other portions of the invention; for example, a ventral portion of a housing may be that portion furthest from the user's back (or the back of his or her throat), even if the caller is held in front of the user.

The aforementioned definitions are not intended to be strictly limiting. Naturally whether a particular figure or shape resembles a horse-shoe or a crescent, or some combination thereof, is a subjective determination. The invention disclosed herein using said defined terms should not be limited to only one precise definition, or interpretation thereof. A different figure or shape may be acceptable, if the structural and functional features remain intact.

Likewise, when the plural form is used, it may be taken to include the singular form, and vice versa, when the context of usage will give the claims the broadest meaning appropriate. Similarly, the conjunctive "and" may also be taken to include the disjunctive "or", and vice versa, for the sake of simplicity and whenever necessary to give the claims of this patent application the broadest interpretation and construction possible.

In its most general form, the invention disclosed here comprises (includes) a device for housing the frame containing the reed(s) in a caller for producing sound to attract wild game, said housing device comprising essentially planar flexible material defining an essentially planar cavity adapted to relatively snugly capture the frame without interfering with the sound producing characteristics of the reed(s).

Although the materials selected to construct the housing may be any materials satisfying the

structural and functional characteristics of the housing disclosed herein, ideally the housing will be constructed of elastomeric material having sufficient flexibility and resiliency to provide the necessary housing characteristics, capturing characteristics and release features of the invention. Alternatively, the housing may be constructed with moldable materials having sufficient flexibility and conformational memory to essentially retain the molded conformation. Examples of suitable flexible materials may include those selected from the group of polymeric compounds such as silicon silastic E (made by Dow Corning), Saniprene, silicon based compounds, latex based compounds, or any other moldable or resilient materials, and combinations thereof. Ideally the materials are safe for inclusion in a user's oral cavity.

The invention may also include a housing device wherein said housing comprises a ventral aspect and a dorsal aspect; in versions of the invention intended to be used by situating the caller-housing assembly near the palate of the user's mouth, said ventral aspect of the housing is that portion situated (while in use) relatively nearer to the user's chest side, whereas said dorsal aspect is that portion situated relatively further from the user's chest side.

In one version of the invention, said cavity of said housing opens toward said ventral aspect of the housing. Moreover, said dorsal aspect may include a flap essentially surrounding said cavity housing around and behind said ventral opening. The cavity may be dorsally bounded by buttress of said housing, said dorsal aspect comprising a flap essentially integrally extending dorsally from said buttress.

The housing may be a single-piece device having an essentially planar crescent body having a mouth along the interior arc, opening into a cavity formed within the central and/or ventral portion of the housing, and with a relatively thinner or converging flap portion extending dorsally past or

from that portion of the housing forming the buttress wall of the cavity.

One more particular version of the invention is intended for use with a particular type of caller frame-reed assembly, wherein the caller essentially includes a pair of essentially horseshoe-shaped planar halves, each mate-able with a corresponding plane of the other. When mated or otherwise sandwiched together, the upper plane of the upper half forms an upper plane of the combined pair, while the lower plane of the lower half forms a lower plane of the combined pair; they also include an essentially joined dorsal arc edge and respective unjoined ventral arc edges, essentially sandwiching therebetween at least one resiliently-flexible reed essentially spanning the ventrally oriented space essentially situated between the corresponding ventral arcs and the opposing pair of corresponding horseshoe arms. (One frame-reed assembly already known includes an elongated circular frame of aluminum (or similar bendable material) having a tab at the rounded top of one semi-circular half; a semi-circle of flexible reed material is positioned to cover a corresponding semi-circular half of the elongated frame, then the frame is essentially folded one semi-circular half atop the other thereby forming an essentially horse-shaped frame (with the edges of the intermediate reed captured therebetween), and the tab is folded over the rounded top of the other semi-circular half to maintain the sandwiching or closure of the reed therebetween.)

In this particular version of the invented housing device, the housing device comprises and defines an essentially quasi-horseshoe-shaped cavity sized to relatively snugly envelop the upper and lower plane and the dorsal arc edge of the caller frame, said ventral aspect of said housing comprising an essentially U-shaped ventral opening to said quasi-horseshoe-shaped cavity, along the inner arc. An endstop may be included at each end of each arm of the horseshoe-shaped housing, to prevent the removal of the frame-reed until the desired time. There may also be included a

crescent or horseshoe-shaped flap integrally extending from the housing buttress or other outer edge of the cavity wall. (To fully accommodate the acceptance of the aluminum version discussed above, the housing cavity may include an appropriate indentation or similar space for the folded-down tab to fit within.)

In another more particular version of the housing device, sized for ready placement of the caller-housing assembly at least near the palate of the user, said crescent flap may be adapted to relatively snugly contact the user's palate and prevent the passage of air between the palate and any reed. In another version of the housing device, said flap further comprises an upper surface adapted to mimic the contour of the a human palate. Such mimickry may include the ability of the housing, especially the flap, to temporarily conform with the contour of the user's palate, to essentially mimic or mirror the contour of the individual's palate. The housing or its flap may also have sufficient flexion memory to return to its initial resting position, or to retain its new contoured conformation. Alternatively, said contour-mimicking upper surface may include an essentially permanently convex surface, approximating the general contour of a palate. The convex portion may also extend over the space between the arms of the horse-shoe, so long as there is no interference with the sound producing characteristics of the reed. In another alternative version of the invention, said convex surface comprises a surface essentially permanently formed as the particular contour of a particular user's palate. Lastly in this respect, the housing or its flap may also include an essentially concave lower surface, to more efficiently direct or funnel an airstream toward the reed(s).

Besides the housing for caller frame-reed assemblies, the invention disclosed herein may also include a combination caller and device for housing the frame containing the reed(s) in the caller for producing sound to attract wild game. These versions of the invention include the

combination of any of the above described housings with any of the above described caller frame-reed assemblies.

Besides the housing and the combination housing and caller frame-reed assembly, the invention disclosed herein may also include a method of making a housing device described above. Such a method includes the steps of providing a mold for forming the housing device, positioning flexible material within said mold, curing said flexible material, and removing said housing from said mold.

The scale of the Figures is not intended to be a limitation of the invention. The invention may be constructed to virtually any dimensions suiting the configuration of the user's oral cavity. One prototype version of the invention includes the following approximate dimensions: 1.25 inches, from the outer edge of one endstop to the outer edge of the other, across a ventral aspect of the invention; 1.37 inches from the ventral-most point of the endstops to the dorsal-most point of the flap; 1.96 inches from the lateral-most point of the flap to the opposite lateral-most point of the flap; 0.03 inch cross-sectional thickness of the flap; 0.015 inch thickness of the upper and lower surfaces, between the cavity and the outer surface.

The embodiment of the invention depicted in Figure 1 is intended to be inserted into the oral cavity of the user. After positioning a caller frame-reed assembly within the cavity of the housing, with the free end of the exposed reed situated outside the housing (between the arms and inner arc of the assembly), the housing is put in a horizontally planar orientation and inserted into the mouth, then pushed up and back into contact with the palate. The edge of the crescent shaped flap will contact the palate snugly, and essentially keep the caller lodged in place during use. When the user blows, an airstream travels beneath and past the flap, past the buttress-enclosed portion of the

housing, then beneath and past the free edge of the reed.

If the user desires to use a different caller frame-reed assembly, the flexible housing may be urged apart at the cavity mouth, allowing removal of the assembly then in use and replacement with another desired assembly. The resiliency of the housing allows the housing to resume its resting state, capturing the newly inserted caller frame-reed assembly within the housing cavity.

Those skilled in the art who have the benefit of this disclosure will appreciate that it may be used as the creative basis for designing devices or methods similar to those disclosed herein, or to design improvements to the invention disclosed herein; such new or improved creations should be recognized as dependant upon the invention disclosed herein, to the extent of such reliance upon this disclosure.

Doc 9676 - 4th Edition

CLAIMS

What is claimed is:

1. A device for housing the frame containing the reed(s) in a caller for producing sound to attract wild game, said housing device comprising essentially planar elastomeric material defining an essentially planar cavity adapted to relatively snugly capture the frame without interfering with the sound producing characteristics of the reed(s).

2. A housing device described in claim 1, wherein said housing comprises an essentially ventral aspect and an essentially dorsal aspect;

said cavity dorsally bounded by buttress of said housing, and opening towards said ventral aspect; and

said dorsal aspect comprising a flap essentially integrally extending dorsally from said buttress.

3. A housing device described in claim 2 wherein the caller essentially includes a pair of essentially horseshoe-shaped planar halves foldedly joined at their ends, each half mate-able with a corresponding plane of the other, said mated pair forming an upper plane and a lower plane as well as an essentially joined dorsal arc edge and respective ventral arc edges, essentially sandwiching therebetween at least one resiliently-flexible reed essentially spanning the ventrally oriented space essentially situated between the corresponding ventral arcs and the opposing pair of corresponding horseshoe arms, wherein said housing device comprises and defines an essentially quasi-horseshoe-shaped cavity sized to relatively snugly envelop the upper and lower plane and the dorsal arc edge

of the caller frame, said ventral aspect of said housing comprising an essentially U-shaped ventral opening to said quasi-horseshoe-shaped cavity.

4. A housing device described in claim 3, wherein said ventral aspect of said housing device further comprises an endstop for the end of each opposing arm of the caller frame.

5. A housing device described in claim 4, wherein said flap is essentially crescent, having an interior arc in integral extension from said housing buttress.

6. A housing device described in claim 5, sized for ready placement of the caller-housing combination at least near the palate of the user, said crescent flap adapted to relatively snugly contact the user's palate and prevent the passage of air between the palate and any reed.

7. A housing device described in claim 6, said flap comprising an upper surface adapted to mimic the contour of the user's palate.

8. A housing device described in claim 7 wherein said contour-mimicking upper surface comprises an essentially convex surface.

9. A housing device described in claim 8 wherein said convex surface comprises a surface essentially formed as the contour of a human palate.

10. A housing device described in claim 7, said flap comprising an essentially concave lower surface.

11. A combination caller and device for housing the frame containing the reed(s) in the caller for producing sound to attract wild game, said housing device comprising essentially planar elastomeric material defining an essentially planar cavity adapted to relatively snugly capture the frame without interfering with the sound producing characteristics of the reed(s).

12. A combination caller and housing device described in claim 11, said housing comprising an essentially ventral aspect and an essentially dorsal aspect;

said cavity dorsally bounded by buttress of said housing, and opening towards said ventral aspect; and

said dorsal aspect comprising a flap essentially integrally extending dorsally from said buttress.

13. A combination caller and housing device described in claim 12, wherein:

said caller comprising a pair of essentially horseshoe-shaped planar halves each mate-able with a corresponding plane of the other, said mated pair forming an upper plane and a lower plane as well as an essentially joined dorsal arc edge and respective ventral arc edges, essentially sandwiching therebetween at least one resiliently-flexible reed essentially spanning the ventrally oriented space essentially situated between the corresponding ventral arcs and the opposing pair of corresponding horseshoe arms;

said housing comprising and defining an essentially quasi-horseshoe-shaped cavity sized to relatively snugly envelop the upper and lower plane and the dorsal arc edge of the caller frame, said ventral aspect of said housing comprising an essentially U-shaped ventral opening to said quasi-horseshoe-shaped cavity.

14. A combination caller and housing device described in claim 13, wherein said ventral aspect of said housing device further comprises an endstop for the end of each opposing arm of the caller frame.

15. A combination caller and housing device described in claim 14, wherein said flap is essentially crescent, having an interior arc in integral extension from said housing buttress.

16. A combination caller and housing device described in claim 15 sized for ready placement of said caller-housing combination at least near the palate of the user, said crescent flap adapted to relatively snugly contact the user's palate and prevent the passage of air between the palate and any reed.

17. A combination caller and housing device described in claim 16, said flap comprising an upper surface adaptable to mimic the contour of the user's palate.

18. A combination caller and housing device described in claim 17, said contour-mimicking upper surface comprising an essentially convex surface.

19. A combination caller and housing device described in claim 18, said convex surface comprising a surface essentially formed as the contour of a human palate.

20. A housing device described in claim 16, said flap comprising an essentially concave lower surface.

21. A method of making a housing device described in claim 1, comprising the steps of providing a mold for forming the housing device, positioning flexible material within said mold, curing said flexible material, and removing said housing from said mold.

Page 17 of 19

ABSTRACT OF THE INVENTION

A device for housing the frame containing the reed(s) in a caller for producing sound to attract wild game, said housing device comprising essentially planar elastomeric material defining an essentially planar cavity adapted to relatively snugly capture the frame without interfering with the sound producing characteristics of the reed(s). Said housing may include a resiliently flexible flap facilitating adapted to closely contact the user's palate.

Application Serial No. 09/826,548

Fig. 1




Fig. 2




Fig. 3





Fig. 4



09/904,809 - 07/20/2001

DECLARATION FOR UTILITY OR DESIGN PATENT APPLICATION

■ Declaration Submitted with Initial Filing

□ Declaration Submitted after Initial Filing

Attorney Docket No.	1585.01
First Named Inventor	John F. Finley
COMPLETE IF KNOWN	
Application Number	
Filing Date	
Group Art Unit	
Examiner Name	

As a below named inventor, I hereby declare that:

My residence, post office address, and citizenship are as stated below next to my name.

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled:

Wild Game Caller Housing
(Title to the Invention)

the specification of which:

■ is attached hereto
OR
□ was filed on (MM/DD/YYYY) as United States Application Number of PCT International Application Number _____ and was amended on (MM/DD/YYYY) (if applicable).

I hereby sate that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by an amendment specifically referred to above.

I acknowledge the duty to disclose information which is material to patentability as defined in Title 37 Code of Federal Regulations, Section 1.56

I hereby claim foreign priority benefits under Title 35, United States Code Section 119(a)-(d) or Section 365(b) of any foreign applications(s) for patent or inventor's certificate, or Section 365(a) of any PCT international application which designated at least one country other than the United States of America, listed below and have also identified below, by checking the box, any foreign application for patent or inventor's certificate, or of any PCT international application having a filing date before that of the application on which priority is claimed.

Prior Foreign Application Numbers	Country	Foreign Filing Date (MM/DD/YYYY)	Priority Not Claimed	Certified Copy Attached?
N/A			■	□ Yes □ No

□ Additional foreign application numbers are listed on a supplemental priority sheet attached hereto:

I hereby claim the benefit under Title 35, United States Code Section 199(e) of any United States provisional application(s) listed below:

Application Number(s)	Filing Date (MM/DD/YYYY)	□ Additional provisional application numbers are liste on a supplemental priority sheet attached hereto.
N/A		

DECLARATION	Page 2

I hereby claim the benefit under Title 35, United States Code, §120 of any United States application(s) listed below and insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code, §112, I acknowledge the duty to disclose information which is known by me to be material to patentability as defined in Title 37, Code of Federal Regulations §1.56 which occurred between the filing date of the prior application and the national or PCT international filing date of this application:

U.S. Patent Application Number	PCT Patent Number	Parent Filing Date (MM/DD/YYYY)	Parent Patent Number (if applicable)
N/A			

□ Additional U.S. or PCT international application numbers are listed on a supplemental priority sheet attached hereto.

As a named inventor, I hereby appoint the following registered practitioner(s) to prosecute this application and to transact all business in the Patent and Trademark Office connected therewith:

□ Firm Name _____ – Customer Number or Label _____
OR
■ List registered practitioner's name and registration number below:

Name	Registration
Joe D. Calhoun	40,293

□ Additional registered practitioner(s) named on a supplemental sheet attached hereto.

Please direct all correspondence to:
□ Customer Number or Label_____ OR ■ Correspondence address below:

NAME	Joe D. Calhoun				
ADDRESS	CALHOUN & HAASE				
ADDRESS	400 West Capitol, Suite 2701				
CITY	Little Rock	**STATE**	AR	**ZIP CODE**	72201
COUNTRY	USA	**TELEPHONE**	501-374-2100	**FAX**	501-374-4234

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Name of Sole or First Inventor: □ A petition has been filed for this unsigned inventor

Given Name: John	Middle Initial: F.	Family Name: Finley	Suffix, i.e., Jr.

INVENTOR'S SIGNATURE John Finley **DATE:** 11-2-00

Post Office Address	640 Orchard Drive			
City: Malvern	State: AR	Zip: 72104	Country: USA	Applicant Authority

□ Additional Inventors are being named on supplemental sheet(s) attached hereto.